

Parent/Athlete Concussion Information Sheet



right after the injury or may not appear or be noticed until days or weeks after the injury.

If an athlete reports **one or more** symptoms of concussion listed below after a bump, blow, or jolt to the head or body, he or she should be kept out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says he or she is symptom-free and it's OK to return to play.

A concussion is a type of traumatic brain injury that changes the way the brain normally works. A concussion is caused by bump, blow, or jolt to the head or body that causes the head and brain to move rapidly back and forth. Even a “ding,” “getting your bell rung,” or what seems to be a mild bump or blow to the head can be serious.

What are the signs and symptoms of concussion?

Signs and symptoms of concussion can show up

Did You Know?

- Most concussions occur without loss of consciousness.
- Athletes who have, at any point in their lives, had a concussion have an increased risk for another concussion.
- Young children and teens are more likely to get a concussion and take longer to recover than adults.

Signs Observed by Coaching Staff

Appears dazed or stunned

Is confused about assignment or position

Forgets an instruction

Is unsure of game, score, or opponent

Moves clumsily

Answers questions slowly

Loses consciousness (*even briefly*)

Shows mood, behavior, or personality changes

Can't recall events prior to hit or fall

Can't recall events after hit or fall

Symptoms Reported by Athletes

Headache or “pressure” in head

Nausea or vomiting

Balance problems or dizziness

Double or blurry vision

Sensitivity to light

Sensitivity to noise

Feeling sluggish, hazy, foggy, or groggy

Concentration or memory problems

Confusion

Just not “feeling right” or “feeling down”

Concussion Danger Signs

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention if after a bump, blow, or jolt to the head or body he or she exhibits any of the following danger signs:

- One pupil larger than the other
- Is drowsy or cannot be awakened
- A headache that not only does not diminish, but gets worse
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Cannot recognize people or places
- Becomes increasingly confused, restless, or agitated
- Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

Why should an athlete report their symptoms?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, he or she is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brain. *They can even be fatal.*

Remember

Concussions affect people differently. While most athletes with a concussion recover quickly and fully, some will have symptoms that last for days, or even weeks. A more serious concussion can last for months or longer.

What should you do if you think your athlete has a concussion?

If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says he or she is symptom-free and it's OK to return to play.

Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, or playing video games, may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.

It's better to miss one game than the whole season. For more information on concussions, visit: cdc.gov/concussion

For more information contact:

Kootenai Health
Donna Kalanick, RN | 208.625.5722
Injury Prevention Coordinator | Trauma Services
2003 Kootenai Health Way | Coeur d'Alene, ID 83814

